SWEATER ENSEMBLES

FROM THE SCROLL OF FASHION

"Cable"
(PAGE 3)

by Jeannette Styles

VOLUME NO. 20

10 CENTS

FROM THE SCROLL OF FASHION

Sweaters Galore!

—SKIRTS FOUR

- Classic
- Dressy
- Practical

FOR EVERY SEASON

Everyone wants a Sweater

TAKE YOUR PICK OF

- **Necklines**
- **Stitches**
- **Styles**
- **Waistlines**
- **Patterns**
- **Trims**

Be Original in your Ensemble

KNIT A SKIRT TO MATCH YOUR SWEATER

- **Plain**
- **Pleat**
- **Rib**
- **Swing**

IMPORTANT

SIZE . . . Directions are given for making each sweater in sizes 12-14-16-18-20. ACCURATE FIT—Be sure to read helpful suggestions on page 27 about size selection before starting any sweater.

YARNS . . . All the sweaters in this book are made from regular size Shetland Floss (interchangeable with Sports Cassimere) or Germantown Zephyr (interchangeable with Knitting Worsted). Yarn quantities for each style shown in Materials Chart on page 26.

COLOR . . . Stylists are agreed—color is rampant. You can be conservative for the sake of harmony, or daring in your individuality! The tweed effect shown in some sweaters is optional, and if desired can be secured by adding a fine thread of DECOR Combination Yarn during the knitting—original and beautiful effects with no extra effort.

NEEDLES . . Standard sizes (American measurement) are used for all sweaters. (Boye needle sizes are in standard measurement.)

3rd Edition
Copyright 1940

OREGON WORSTED CO., Inc.
373 Fourth Ave., New York

PRINTED IN U.S.A.
BY NEW YORK PTG. CO

Style Photographs by LAZARNICK

PERSIAN RUBY is the color of this Sweater on front cover.

Square Rigger

Like the ship . . . set to go anywhere . . . that broad shouldered effect . . .

Cable

A direct message flashed from hi-style centers . . . with short or long sleeves (as on front cover) . . .

INSTRUCTIONS ON PAGE 14. MATERIALS CHART ON PAGE 26.

Poche

Oui! Pockets in tiers . . .
from France . . . tailored . . .

Diamonds

In an all-over pattern to make
you fabulously rich in chic!

INSTRUCTIONS ON PAGES 15 AND 16. MATERIALS CHART ON PAGE 26.

Draw String

At neckline and waistline
. . . for the high and sightly

Ship Ahoy

A true sailor-ette for balmy
seas . . . high waisted . . .

Cossack

A military blouse with full-fashioned, proud lines . . .

Service Stripes

A worthwhile reward for your own knitting endeavor . . . unusual effect . . .

INSTRUCTIONS ON PAGES 17 AND 18. MATERIALS CHART ON PAGE 26.

Zip—And you are ready for office, school, shopping . . . most effective in its simplicity . . .

Frontispiece

Something to talk about . . . easy to wear . . . either indoors or outdoors

Rainbow

A borealis array of color, in a style season so decreed . . . easy and quickly knit . . .

Sports Vest

A good habit—for under-the-jacket—or riding horse back . . .

INSTRUCTIONS ON PAGES 19 AND 20. MATERIALS CHART ON PAGE 26.

Vagabond

A roaming, ribbed pattern . . .
with or without zipper at throat . . .

«. Page 9 »

Bolero

Bull or no bull—this jacket will slay them . . . worn over your shirt waist . . .

Bib and Tucker

Truthfully 2 sweaters in 1 . . .
detachable vestee . . . lightweight . . .

Crew

The well known neckline in an easy
Brooks type sweater . . . practical . . .

INSTRUCTIONS ON PAGES 20 AND 21 AND 22. MATERIALS CHART ON PAGE 2

Campus

Zipped up outdoors between classes,
down indoors for the lectures . . .
for girl or boy . . .

Reversible

A different pattern—inside or outside
. . . frontwards or backwards . . .

Jigger Coat

Of double yarn . . . on large needles
. . . for warmth . . . sports . . .

Tailleur

A real suit-top jacket . . . exclusively
tailored . . . fine for a knit skirt . . .

INSTRUCTIONS ON PAGES 22 AND 23 AND 24. MATERIALS CHART ON PAGE 26.

Roll Neck

"Turtle" to some . . . "Rough" to others . . . but warm and sporty . . . youthful for either sex . . .

Twin Sweater Set

Be your own twin with 2 matched sweaters . . . extremely serviceable and conservative . . . belted sport back . . .

INSTRUCTIONS

SQUARE RIGGER

PICTURED ON PAGE 3

PLAN—Starting at the bottom of the back, work up to the neck. Make the front in the same manner. Start the sleeves at the cuff and work to neckline.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 96 sts (A). K 2, P 2 for 4". Change to stockinette st and work 3" even. Increase one st at the beginning and end of every 4th row 4 times. When work measures 13" or desired length cast off 6 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. Work 1 3/4" even (B). Change to K 2, P 2 and work 2 1/2" (C). Cast off.

Front. Work the front in the same manner.

Sleeves. Cast on 72 sts (D). K 2, P 2 for 2". Change to stockinette st and work 2". Cast off 6 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 36 sts remain. Change to K 2, P 2 and work for 3". Cast off. Sew side seams, sew in sleeves.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	84 sts	92 sts	104 sts	112 sts
(B)	1 3/4"	1 3/4"	2"	2 1/4"
(C)	2 1/2"	2 1/2"	2 3/4"	3"
(D)	72 sts	80 sts	84 sts	88 sts

CABLE

PICTURED ON PAGE 3

PLAN—Starting at the bottom of the back, work up to the neck. Make the front in the same manner. Start the sleeves at the cuff. Make banding for neckline.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 100 sts (A). K 1, P 1 for 4". Change to Stockinette st (K 1 row, P 1 row) and increase 10 sts across row (about every 10th st). Work to center 14 sts and P 2, K 10, P 2 and continue across row. On the next row at center, K 2, P 10, K 2. Repeat these 2 rows for 10 more rows. On the 13th row start to make cable in center rib as follows: *slip 5 sts to a double pointed needle or crochet hook and hold in back of work, K the next 5 sts, K 5 sts from crochet hook.* Repeat this cable (between stars) in center panel every 13th row to neckline. Continue in this manner for 10 1/2" or desired length to underarm. To shape armhole cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 7 times. Work to shoulder (6 1/2" or desired length from cast-off at underarm) and cast off 4 sts at the beginning of every row 8 times. Cast off the rest.

Front. Work in the same manner as the back to 2" past ribbing. Increase one st at the beginning and end of every 4th row 4 times. Work even to armhole. Cast off 5 sts at the beginning of the next 2 rows. At the beginning of the next K row (left hand side of sweater) decrease one st and work across to the edge of center pattern. Place remaining sts (including center pattern) on a st holder and at the beginning of the next row (center edge) cast on 4 sts. Continue to work the one side, decreasing one st on armhole edge every other row 6 more times.

Work until center opening measures 4 1/2" (B). On the next row at center edge cast off 10 sts. At the beginning of the next 2 rows at center edge cast off 6 sts each row. Work until armhole measures 6 1/2" or desired length and cast off 4 sts at the beginning of every row on armhole edge 4 times. Cast off the rest. Pick up sts from st holder and work in the same manner, making one buttonhole in the center panel between each cable. Make buttonholes as follows: P 2, K 3, cast off 4 sts, K 3 sts, P 2 and continue across row. On the next row cast on 4 sts over 4 sts cast off.

Short Sleeves. Cast on 72 sts (C). K 1, P 1 for 1 1/2". Change to stockinette st and increase 8 sts across row. Work cable pattern at center of sleeve. Work for 3 1/2". Cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until the center 14 sts remain and work the cable pattern for 4 1/2" more. Cast off.

Long Sleeves. Cast on 48 sts (D). K 1, P 1 for 4". On the next row change to Stockinette st with pattern st at center of sleeve and at the same time increase to 54 sts. Work 3" even. Increase one st at the beginning and end of every 6th row until 80 sts (E) are on needle. When sleeve measures 17 1/2" or desired length, cast off and decrease in the same manner as the short sleeves.

Neck Banding. Cast on 14 sts. P 2, K 10, P 2 making a cable every 13th row. Work until banding measures around neck. Make a button hole after the last cable and then cast off.

Sew shoulder seams and sew in sleeves. Sew side and underarm seams. Sew shoulder bands to neck edge. Sew on collar banding, placing the buttonhole on banding directly over the top buttonhole of blouse.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	84 sts	92 sts	110 sts	120 sts
(B)	4 1/2"	4 1/2"	5 1/2"	5 1/2"
(C)	64 sts	68 sts	80 sts	84 sts
(D)	44 sts	44 sts	48 sts	52 sts
(E)	74 sts	80 sts	84 sts	84 sts

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

POCHE

PICTURED ON PAGE 4

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the fronts, work up to the neck. Make the sleeves starting at the cuff. Make collar. Sew together.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 108 sts (A). Work even in Stockinette st for 1". Decrease one st at the beginning and end of row every half-inch 4 times. Decrease one st at the beginning and end of every K row 5 times. Cast off the center st on the next K row. On the next row to make pleat cast on 35 sts over the one st cast off. Work 2" even from last decrease. Increase one st at the beginning and end of row every inch 5 times. Work to armhole (16" or desired length from bottom) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. On the next K row cast off the 35 sts cast on for pleat. Work to shoulder (6½" or desired length from cast-off at underarm) and cast off 5 sts at the beginning of every row 6 times. Cast off.

Pockets. Cast on 24 sts. Work even for 3". Place on stitch holder and make 5 more in the same manner.

Right Front. Cast on 70 sts. Work even for 1". Decrease on underarm side every half-inch 4 times. On the next K row K 25, to form pocket slit cast off 24 sts and work across row, decreasing one st at underarm side. On the next row slip the 24 sts of one pocket from st holder over sts cast off and continue to work across row. Decrease on underarm side every other row 4 more times. Work 1" even. On the next row to make buttonholes, K 2, cast off 2 sts, K 4, cast off 2 sts more (double buttonhole for folding back), continue across, on the next row cast on 2 sts over each cast-off. Make 5 more buttonholes 3" apart. Continue to work even for 1" more. Increase one st at armhole side every inch 5 times. When work measures 6" from first pocket, make another one. Work to armhole and cast off 5 sts. Decrease one st every other row 6 times. Work until 5" from last pocket and then make another one. Work 4½" from cast-off at underarm and at center side cast off 12 sts. Cast off 3 sts at the beginning of every row at center edge 3 times. Work to shoulder and cast off 5 sts at the beginning of every row on armhole side 3 times. Cast off the rest.

Left Front. Work in the same manner as the right side omitting the buttonholes, and reversing the shaping.

Sleeves. Cast on 54 sts. Work even for 2". Increase one st at the beginning and end of row every 6th row until 80 sts are on needle. When sleeve measures 18½" (or desired length) cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 22 sts remain. Cast off.

Sew shoulder seams. Sew in sleeves. Sew underarm and side seams. Fold back first row of buttonholes so that buttonholes match, and sew.

Collar. Pick up sts around neck and in Stockinette st increase one st at the beginning and end of every other row for 3". Cast off. Sc 2 rows around collar, left front, bottom of blouse and sleeves. Pick up sts at top of each 2 lower pockets and knit 1" for flap. Sc 2 rows around each flap. Sew back of pocket directly to jacket.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	100 sts	114 sts	118 sts
(B)	58 sts	64 sts	74 sts	76 sts
(C)	44 sts	48 sts	54 sts	54 sts
(D)	72 sts	76 sts	84 sts	84 sts

DIAMONDS

PICTURED ON PAGE 4

PLAN—Starting at the bottom of the back work up to neck. Work the front in the same manner. Make the sleeves starting at the cuffs. Sew together.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

PATTERN STITCH—Multiple of 14 sts plus 4 sts. **Row 1:** K 1, YO, K 2 tog, *K 12, YO, K 2 tog*, repeat between stars across row ending with YO, K 1. **Row 2 and all even rows:** Purl across including YO sts. **Row 3:** K 2, YO, K 2 tog, *K 9, K 2 tog, YO, K 1, YO, K 2 tog*, repeat between stars ending row YO, K 3. **Row 5:** K 3, YO, K 2 tog, *K 7, K 2 tog, YO, K 3, YO, K 2 tog*, ending row YO, K 4. **Row 7:** K 4, YO, K 2 tog, *K 5, K 2 tog, YO, K 5, YO, K 2 tog*, ending row YO, K 5. **Row 9:** K 5, YO, K 2 tog, *K 3, K 2 tog, YO, K 7, YO, K 2 tog*, ending row YO, K 6. **Row 11:** K 6, YO, K 2 tog, *K 1, K 2 tog, YO, K 9, YO, K 2 tog*, ending row YO, K 7. **Row 13:** K 7, *YO, K 3 tog, YO, K 11*, ending YO, K 8. **Row 15:** K 6, *K 2 tog, YO, K 1, YO, K 2 tog, K 9*, ending row K 2 tog, K 7. **Row 17:** K 5, *K 2 tog, YO, K 3, YO, K 2 tog, K 7*, ending 2 tog, K 6. **Row 19:** K 4, *K 2 tog, YO, K 5, YO, K 2 tog, K 5*, ending K 2 tog, K 5. **Row 21:** K 3, *K 2 tog, YO, K 7, YO, K 2 tog, K 3*, ending K 2 tog, K 4. **Row 23:** K 2, *K 2 tog, YO, K 9, YO, K 2 tog, K 1*, ending K 2 tog, K 3. **Row 25:** K 1, K 2 tog, *YO, K 11, YO, K 3 tog*, ending row K 2 tog, K 2.

To repeat pattern, start with Row 3.

INSTRUCTIONS—Back. Cast on 107 sts (A). Work in Moss st (K 1, P 1, K 1)for 4". Change to Pattern st and work to armhole (3 patterns or desired length). Cast off 6 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 7 times. When armhole measures 3" work the center 29 sts in Moss st. Add one st to Moss st yoke at both sides every row until all the sts are worked in Moss st. When armhole measures 6½" cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

Front. Cast on 107 sts (B). Work in the same manner as the back until armhole measures 1½". Working to center of blouse, place remaining sts on a st holder and work back, working the first 17 sts at center edge in Moss st for yoke. Add one st to Moss st pattern every row as at back until all the sts are worked in Moss st. When yoke measures 2½" make a buttonhole 4 sts from center edge. To make buttonhole cast off 5 sts and on the next row cast on 5 sts over sts cast off. Work ½" and to shape neck at center edge cast off 12 sts, then decrease one st at beginning of center edge 9 times. When armhole measures 7" cast off in the same manner as the back on armhole edge. Pick up sts from st holder and work the other side in the same manner.

Sleeves. Cast on 45 sts (C). Work in Moss st for 4". Change to pattern st and increase one st at the beginning and end of every 8th row until 72 sts are on the needle. When sleeve measures 18½" or desired length cast off 6 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row until 14 sts remain.

Pockets. Cast on 24 sts. Work in Moss st for 2" then decrease one st at the beginning and end of every row until 8 sts remain. Cast off.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	79 sts	93 sts	121 sts	121 sts
(B)	79 sts	93 sts	121 sts	135 sts
(C)	45 sts	45 sts	59 sts	59 sts

DRAWSTRING

PICTURED ON PAGE 5

PLAN—Starting at the bottom of the back, work up to the neck. Work the front in the same manner. Make the sleeves starting at the wrist.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 102 sts (A). K 2, P 2 for 2 rows. On the next row K 1, *YO, K 2 tog,* repeat between stars to end of row. Then work K 2, P 2 for 3". Change to stockinette st and work until back measures 9" (or desired length). Cast off 5 sts at the beginning of the next 2 rows. Change to K 2, P 2 and decrease one st at the beginning and end of every other row 6 times. Work even to shoulder (6½" or desired length). On the next row K 2, P 2 for 12 sts and then YO, K 2 tog across to the last 12 sts, K 2, P 2 to end of row. Continue with K 2, P 2 and cast off 4 sts at the beginning of the next 6 rows. Cast off the rest.

Front. Work in the same manner as the back.

Sleeves. Cast on 54 sts (B). K 2, P 2 for 3". Change to stockinette st and increase one st at the beginning and end of every 5th row until 80 sts are on needle. When sleeve measures 18½" (or desired length) cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 18 sts remain. Cast off. Sew shoulder seams, sew in sleeves. Sew underarm and side seams. Using 2 strands of yarn crochet a chain 36" long and another one 24" long. Weave the long one through holes in bottom of sweater and the short one around the neck. To make the tassels: wind yarn around a 2" piece of cardboard until desired thickness. Slip yarn off the cardboard, tie and wrap at one end and cut the other end. Make 4 and sew to drawstrings.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	96 sts	116 sts	120 sts
(B)	48 sts	48 sts	58 sts	58 sts

SHIP AHOY

PICTURED ON PAGE 5

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the fronts, work up to the neck. Make sleeves starting at the cuff. Make lapels, and collar. Sew together.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Using main color cast on 89 sts (A). K 1, P 1 for 1½". Change to stockinette st and work for 1½". Increase one st at the beginning and end of every 5th row 6 times. Work even to armhole (10½" or desired length) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. Work to shoulder (6½" or desired length from underarm) and cast off 5 sts at the beginning of the next 6 rows. Cast off the rest.

Right Front. Cast on 61 sts (B). Work in Moss st (K 1, P 1, K 1) for 4 rows. On the 5th row start to make buttonholes as follows: K 1, P 1, K 1, P 1, cast off 4 sts, K 1, P 1 for 14 sts, cast off 4 sts, K 1, P 1, K 1 to end of row. On the next row cast on 4 sts over sts cast off. Continue in Moss st for 1". On the next row work the first 14 sts in Moss st for border at front and continue across in stockinette st. Work in this manner to armhole, making buttonholes every 2" until there are 6 sets of buttonholes. Cast off 5 sts at underarm side. Decrease one st at underarm side every other row 6 times and at center edge decrease one st every row until all the Moss sts are decreased. Continue to decrease at center edge every other row for 2½". Work even to shoulder and at armhole edge cast off 5 sts at the beginning of the next 3 rows. Cast off the rest.

Left Front. Work the other side in the same manner, reversing the shaping and omitting the buttonholes.

Sleeves. Cast on 61 sts (C). Work in Moss st for 1". Change to stockinette st and on the first row increase one st in every 3rd st across row. Work even in stockinette st for 3". Cast off 5 sts at the beginning of the next 2 rows and then decrease one st at the beginning and end of every other row until 20 sts remain. Cast off.

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

Lapels. Cast on 3 sts. Working in Moss st, increase one st at the beginning and end of every other row for 3½". Work 1" even. Cast off. Make another one in the same manner.

Collar. Using contrast color cast on 43 sts. Work in Moss st for 4½". Cast off.

Sew shoulder seams, sew in sleeves. Sew underarm and side seams. Sew on lapels, placing the cast-off edge at seam. Sew on collar at back. Using contrast color sc 2 rows around lapels.

Using main color crochet a chain and sew 2 rows around collar ½" from edge.

Using contrast color sc over buttonmolds and sew buttons in place.

Belt. Using contrast color, cast on 11 sts and work Moss st for 25" or desired length. Cast off. For belt loops make a chain of 15 sts, join, and sc over chain. Make a point at each end of belt by folding back the corners, and sew one loop at each end. Using double yarn make a chain 20" long for lacing to go thru belt loops.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	79 sts	83 sts	99 sts	107 sts
(B)	53 sts	55 sts	67 sts	75 sts
(C)	57 sts	61 sts	71 sts	71 sts

COSSACK

PICTURED ON PAGE 6

PLAN—Starting at the bottom of the back, work up to the neck. Make the front in the same manner. Start the sleeves at the cuff.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 104 sts (A). K 2, P 2 for 4". Change to Stockinette st (K one row, P one row) and work even for 2". Increase one st at the beginning and end of row every inch 4 times. Work even to underarm (14" or desired length from bottom) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. Work to shoulder and cast off 4 sts at the beginning of every row 6 times. Place the center 32 sts on a st holder and cast off the remaining sts.

Front. Work in the same manner as the back for 10". On the next row work to within 10 sts of center and work back, placing the remaining sts on a stitch holder. Continue on the one side of the front and work armhole in the same manner as the back. Work to shoulder and cast off 4 sts at the beginning of every row on armhole side 6 times. Place remaining sts on a st holder. Pick up sts from stitch holder for other side of front and at center edge cast on 6 more sts. Work in the same manner as the other side of front, making 6 buttonholes at center edge about 2½" apart. To make buttonholes: K 3 sts, cast off 4 sts, K to end of row; on the next row cast on 4 sts over sts cast off. Work to cast-off at shoulder placing the remaining sts on a stitch holder.

Sleeves. Cast on 52 sts (B). K 2, P 2 for 4". Change to stockinette st and increase one st at the beginning and end of every 6th row until 72 sts (C) are on needle. When sleeve measures 13" cast off 5 sts at the beginning and end of every K row until 18 sts remain. Cast off.

Sew shoulder seams, sew in sleeves. Pick up sts from all st holders at neckline on one needle and work for 2". Cast off. Sew side seams. Sc 2 rows around banding at neck and fronts.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	96 sts	112 sts	120 sts
(B)	48 sts	52 sts	56 sts	56 sts
(C)	66 sts	72 sts	76 sts	76 sts

SERVICE STRIPES

PICTURED ON PAGE 6

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the front, work up to the neck. Make sleeves starting at the wrist.

GAUGE—6 sts = 1 inch 8 rows = 1 inch (for #4 needles)

INSTRUCTIONS—Back. Using main color with size #3 needles cast on 110 sts (A). K 2, P 2 for 4". Change to size #4 needles and stockinette st (K 1 row, P 1 row) and on the first row increase to 110 sts (B). At the beginning of this first row K 18, join first contrast color and K 10, change back to main color and K to end of row. Continue to work these 10 sts in first contrast color to shoulder. Work to armhole (12" from bottom, or desired length) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 5 times. At the beginning of the next Purl row P 8 sts, to start another stripe join 2nd contrast color and work for 10 sts and finish row with main color. Work to shoulder (6½" or desired length from cast-off at armhole) and cast off 4 sts at the beginning of every row 6 times. Cast off the rest.

Front. Work in the same manner as the back, using 2nd contrast color for the long stripe and the first contrast color for the short one.

Sleeves. Using main color and size #3 knitting needles cast on 54 sts (C). K 2, P 2 for 4". Change to size #4 needles and stockinette st and increase one st at the beginning and end of every 6th row. Work 1½". On the next row join first contrast color and work 4 rows. Change to main color for 6 rows. Change to 2nd contrast color and work 4 rows. Change back to main color and continue to increase in the same manner until 88 sts (D) are on needle. Work even until sleeve measures 18½" or desired length. Cast

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 18 sts remain. Cast off. Sew underarm and side seams. Sc loosely 2 rows around neck line.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	92 sts	100 sts	120 sts	124 sts
(B)	100 sts	110 sts	128 sts	130 sts
(C)	48 sts	48 sts	54 sts	54 sts
(D)	82 sts	88 sts	92 sts	92 sts

ZIP

PICTURED ON PAGE 7

PLAN—Starting at the bottom of the back, work up to the neck. Make the front in the same manner. Start the sleeves at the cuff and work up to the shoulder.

GAUGE—5 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 87 sts (A) K 2, P 1 across row. Across next row K 1, P 2. Repeat these 2 rows for 15". Cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 5 times. Work to shoulder (6½" or desired length from cast-off at underarm) and cast off 5 sts at the beginning of the next 6 rows. Cast off the rest.

Front. Cast on 96 sts (B). Work same as back for 6". Work to center of the next row and place remaining sts on an odd needle or stitch holder. Work to underarm and cast off at armhole side in the same manner as the back. Work for 4¼" (C) and then at the beginning of the next row at center edge cast off 5 sts. At the beginning of the next 2 rows at center edge cast off 3 sts each row. Work to shoulder and cast off. Pick up sts from stitch holder and work in the same manner.

Sleeves. Cast on 60 sts (D). Work even in pattern st for 2". Increase one st at the beginning and end of every other row for 2". Cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row until 20 sts remain. Cast off. Sew shoulder seams, sew in sleeves. Sew underarm and side seams. Pick up sts around neck, working in stockinette st increase one st at the beginning and end of every row for 2". Change to K 2, P 1 and continue to increase for 1". Cast off. Sc 1 row around collar and front opening. Sew in zipper.

Using a small piece of contrast color embroider flower at each corner of collar.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	72 sts	78 sts	96 sts	102 sts
(B)	78 sts	87 sts	102 sts	108 sts
(C)	4¼"	4¼"	4½"	4¾"
(D)	54 sts	54 sts	66 sts	72 sts

FRONTISPIECE

PICTURED ON PAGE 7

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the front, work up to the neck. Make yoke separately. Make sleeves starting at the cuff.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Using main color cast on 96 sts (A). Work in stockinette st (K 1 row, P 1 row) for 4". Change to contrast shade and K 3, *YO, K 2 tog, K 3* repeat to end of row. On the next row P across, purling the YO sts. Change back to main color and decrease every 5th st across row. Work 1" even and then increase 1 st every 5th st across row. Change to contrast color and repeat the 2 contrast color rows as above. Change back to main color and work even until back measures 13" or desired length. At the beginning of the next 2 rows cast off 5 sts. Decrease 1 st at the beginning and end of every K row 5 times. Work 6½" (B) from cast-off at armhole and cast off 5 sts at the beginning of the next 6 rows. Cast off the rest.

Front. Work the same as back until 3½" above 2nd color stripe at waist. Cast off the center 15 sts. Work one side of front, placing remaining sts on a st holder. Decrease one st at center edge every other row 4 times and at the same time increase one st at underarm side every 4th row 4 times. Work to armhole and shape in the same manner as the back. Continue to shoulder and cast off 5 sts at the beginning of every row on armhole side 3 times. Cast off the rest. Work the other side in the same manner.

Sleeves. Cast on 48 sts (C). K 1, P 1 for 2½" then change to stockinette st and increase one st every 8th st across row. Continue in stockinette st, increasing 1 st at the beginning and end of row every 6th row until 90 sts (D) are on the needle. Work until sleeve measures 18" or desired length and then cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 42 sts remain. K 2 tog and at the same time cast off.

Yoke. Using contrast color cast on 16 sts. K 1 row, P 1 row increasing one st at each side every K row until 28 sts are on needle, and when 18 sts are on needle start pattern st K 3, *YO, K 2 tog, K 3* and repeat across row. Each row of pattern st is followed by 2 rows of Stockinette st. As the stitches are increased, increase in pattern until there are 5 open stitch ribs. Work even until yoke measures 6½" or desired length to opening at neck. Work to center of row and placing remaining sts on a st holder, continue to work on one side for 4". On the next P row make a buttonhole at center edge by P 3, cast off 4 and continue across row. On the next row cast on 4 sts over sts cast off. Continue to work in pattern for ½" more or proper height for yoke. Cast off. Work the other side in the same manner. Sew in yoke to front of blouse. Sew shoulder seams, sew in sleeves. Sew underarm and side seams. Using

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

main color sc 2 rows around bottom of blouse and neck. Using contrast color sc 2 rows around top of yoke and opening.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	86 sts	92 sts	108 sts	120 sts
(B)	6½"	6½"	7"	7½"
(C)	44 sts	44 sts	54 sts	54 sts
(D)	84 sts	90 sts	96 sts	96 sts

RAINBOW

PICTURED ON PAGE 8

PLAN—To secure the vertical striping the rows are knitted vertically and the knitting progresses around the body. The yoke is made in the regular manner (knitting horizontally) starting at the underarm at back and working up over the shoulder and down the front to the underarm. Sleeve striping is made vertically same as body of sweater.

GAUGE—4 sts = 1 inch 6 rows = 1 inch

INSTRUCTIONS—Body of Sweater. Using first color cast on 60 sts. *Work in garter st (plain knitting) for 5 rows (3 ribs). Change to 2nd contrast color and P 1 row, K 4 rows. Change to 3rd color and P 1 row K 3 rows.* Repeat between stars eleven times. When 8" (A) are complete decrease 1 st at the end of every other row 3 times to shape under the armhole. K 3 rows, increase 3 sts in the same manner as they were decreased. Work 14" (B) and repeat the decreases and increases to shape the armhole as on other side. Work 8" (A) and cast off ending with the 6 ribs of first contrast color.

Yoke. Using first color cast on 55 sts (C). In plain knitting work 4". Cast off the center 19 sts and work one side, placing the remaining sts on a stitch holder. Work 3 rows even. At the beginning of every row on center side increase one st for 5 times. At the beginning of the next row on center side cast on 5 sts. Work 3½" and cast off. Work the other side in the same manner.

Sleeves. Using first contrast color cast on 90 sts or desired number for length of sleeve. Work in color pattern for 7½" (D). Cast off 30 sts. Cast off 1 st at beginning of every row (the same end as the 30 sts cast off) for 5". Cast off. Make the other sleeve in the same manner reversing the decreasing so that decreasing is on inside of arm. Sew on the yoke. Sew in sleeves. Sew underarm seams. Turn in a 1" hem around bottom of sweater and sleeves. Sc 1 row around neck and front opening. Sew in zipper.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	7"	8"	9"	9"
(B)	13"	14"	15"	16"
(C)	50 sts	55 sts	60 sts	65 sts
(D)	7"	7½"	8"	8½"

SPORT VEST

PICTURED ON PAGE 8

PLAN—Starting at the bottom of the back, work up to the neck. Make the fronts in the same manner.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 88 sts (A). Work even in Stockinette st for 1". K 24, K 2 tog, K across to last 26 sts, K 2 tog, K 24. Decrease in this manner every row 3 times. Work 1½" even. Increase one st, at each side directly above decreases, every 4th row 9 times. When back measures 9" cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. Work to shoulder (8" or desired length from cast-off at underarm) and cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

Pockets. Cast on 20 sts and work 5". Place on odd needle or st holder. Make 3 more in the same manner.

Fronts. Cast on 3 sts. Working in Stockinette st, increase as follows: one st at the beginning of every K row and 3 sts at the end of every K row 10 times (B). When work measures 3½" from point, K 23, K 2 tog, K to end of row. Decrease in this manner twice more. Work ½" even. K 13, cast off 20 sts (for pocket) K to end of row. On the next row slip sts for one pocket (from st holder) over sts cast off and continue to P across row. Increase one st, directly above decreases, every 4th row 12 times. Work even to armhole and on center side decrease one st every 4th row. Shape armhole in the same manner as the back. Work 1" and cast off 20 sts for the pocket directly above the other pocket (about 17 sts from center edge). On the next row slip sts of another pocket over sts cast off and continue across row. Continue to decrease one st every 4th row on center side for 4½". Decrease the center st on the next row. Work 1" and decrease one st directly above the center decreased st. Work to shoulder and cast off. Make the other side in the same manner, reversing the shaping.

Sew shoulder and side seams. Sc 1 row around vest and armholes. Sew pocket seams. Sew in zipper.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	70 sts	76 sts	90 sts	90 sts
(B)	6 times	8 times	11 times	12 times

VAGABOND

PICTURED ON PAGE 9

PLAN—Starting at the bottom of the back, work up to the neck. Work the front in the same manner. Make the sleeves starting at the cuff. Make collar.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 96 sts (A). Work in Garter st (plain knitting) for 4 ribs. On the next

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

row start pattern st as follows: K 35 sts, P 1 *K 1 in back part of st, P 2, K 1 in back part of st, P 1*, repeat between stars 4 times, K to end of row. On the next row, P 35 sts, K 1, *P 1 in back part of st, K 2, P 1 in back part of st, K 1*, repeat between stars 4 times, P to end of row. Repeat these 2 rows for 14" or desired length to underarm. Cast off 5 sts at the beginning of the next 2 rows. On the next row change to pattern st across row and decrease one st at the beginning and end of every other row 6 times. Work to shoulder (6½" or desired length from cast-off at underarm) and cast off 5 sts at the beginning of every row 6 times. Cast off the remaining sts.

Front. Work in the same manner as the back for 6". Increase one st at the beginning and end of every 6th row 6 times. Continue even to yoke. On the next row work to center and place remaining sts on stitch holder, shaping the armhole in the same manner as the back. Work 4½" and on the next row at center edge to shape neckline cast off 10 sts. Cast off 3 sts at the beginning of the next 2 rows at center edge. Work to shoulder and cast off 5 sts at the beginning of every row on armhole side. Cast off the rest. Pick up sts from stitch holder and work the other side in the same manner.

Sleeves. Cast on 58 sts (B). Work in Garter st for 4 ribs. Change to Stockinette st and work the center 26 sts in Pattern st. Work 3" and then increase one st in each st on both sides of Pattern st. Work 2" even and then cast off 5 sts at the beginning of next 2 rows. Change to Pattern st across entire row and decrease one st at the beginning and end of every other row 20 times. Cast off remaining sts.

Sew shoulder seams. Sew in sleeves, gathering across the top to fit armhole. Sew side and sleeve seams.

Pick up sts around neck for collar and working in Stockinette st increase one st at the beginning and end of every other row for 2". Change to Garter st and continue to increase for 5 ribs. Cast off. If so desired a small zipper may be used at the front opening.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	84 sts	90 sts	104 sts	114 sts
(B)	50 sts	58 sts	66 sts	66 sts

BOLERO

PICTURED ON PAGE 9

PLAN—Starting at the bottom of the back, work up to the neck, adding stitches for upper part of sleeves and working down front. Pick up sts and continue sleeves to wrist.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 100 sts (A) and work in Stockinette st for 7". At the beginning of the next 2 rows cast on 25 sts (B) for upper part of sleeves. Work 6½" or desired length to neck and cast off the center 31 sts. Work to end of row. Work one side even, for 1", placing the stitches for the other shoulder on a st holder. At the beginning of rows at neck edge increase one st 8 times. At the beginning of the next row on center side cast on 12 sts. Work even for 2". Decrease one st at the beginning of every row on center side. Work until sleeve measures 6½" from shoulder top and cast off the 25 sts (cast on for sleeves). Continue to decrease at center edge until front measures 7" from underarm. Cast off. Work the other side in the same manner.

Sleeves. Pick up 93 sts at end of sleeve and K 2, P 2 across row ending with P 3 (this makes pattern st). Work even for 1". Decrease one st at beginning and end of row every inch until 77 sts remain. Work until ribbing measures 12½" or desired length. Cast off. Work the other sleeve in the same manner. Pick up sts around neck and work in ribbing (K 2, P 2, ending each row with P 3) for 1½". Cast off. Sew sleeve and underarm seams. Sc 2 rows around entire bolero. Make a ch of each contrast color and sew on around entire bolero and at top of ribbing on sleeves.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	94 sts	106 sts	112 sts
(B)	25 sts	25 sts	30 sts	33 sts

BIB AND TUCKER

PICTURED ON PAGE 10

PLAN—Starting at the bottom of the back, work up to the neck. Make the fronts in the same manner. Make the sleeves starting at the cuff. To make the vestee, work the fronts casting on for neckband. Then pick up sts for the collar.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 100 sts (A). Work even in Stockinette st for 4". On the next row decrease every 10th st across row. Work 1" even. On the next row increase one st every 10th st across row. Work 1" and increase one st at the beginning and end of row. Repeat this increase every inch for 2 inches more. Work to armhole (16" or desired length from bottom of sweater) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 6 times. Work to shoulder (6½" or desired length from cast-off at underarm) and cast off 4 sts at the beginning of the next 6 rows. Cast off remaining sts.

Left Front. Cast on 56 sts (B). Work in Stockinette st, knitting the first 8 sts every P row to make border at front. Work 4" and decrease every 10th st across row. Work 1" and then increase one st every 10th st. Work to armhole in the same manner as the back, increasing on underarm side only. Cast off for armhole in the same manner as the back and at center edge decrease the last st of the Stockinette st (next to border) every 4th row 9 times. Work 1". Decrease one st when 1/3 of the way across row and decrease another st when 2/3 of the way across row

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

every 4th row 3 times. Work to shoulder and cast off. Work the other side in the same manner, reversing the border and the increases and decreases. Make 6 buttonholes 2" apart in the knitted border. To make the buttonholes K 2, cast off 4, K to end of row. On the next row cast on 4 sts over sts cast off.

Sleeves. Cast on 48 sts (C). Work even in stockinette st for 4". Increase one st at the beginning and end of every 5th row, until 72 sts (D) are on the needle. When sleeve measures 18½" or desired length cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row until 16 sts remain. Cast off.

Sew shoulder seams. Sew in sleeves. Sew underarm and side seams. Sew on buttons opposite buttonholes. Sc 2 rows around sleeves and bottom of sweater.

Vestee. Using contrast color cast on 30 sts. Work in garter st (plain knitting) for 13". At the beginning of the next row cast off 10 sts. At the beginning of the next 2 rows at the same side cast off 3 sts each row. Work 1½" and place on st holder. Make another piece in the same manner. Cast on 30 sts at the shaped side of this piece and pick up sts from st holder, having the shaped side to the center to form neck line. Work for 2½". Cast off. Pick up sts around neckline for collar and increase one st at the beginning and end of every other row for 2". Cast off. Sew in zipper. If desired, edges of vestee can be permanently sewed to inside of cardigan sweater.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	94 sts	106 sts	112 sts
(B)	45 sts	50 sts	62 sts	68 sts
(C)	44 sts	44 sts	52 sts	52 sts
(D)	64 sts	72 sts	80 sts	80 sts

CREW

PICTURED ON PAGE 10

PLAN—Starting at the bottom of the back, work up to the neck. Work the front in the same manner. Make sleeves starting at the cuff. Sew together.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 96 sts (A) and K 1, P 1 for 3½". Change to stockinette st and increase one st at the beginning and the end of row every 4th row 4 times. Work even to armhole (15" or desired length from bottom of sweater) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 5 times. Work 5½" (B) from cast-off at armhole. Change to Garter st (plain knitting) and work for 1". Cast off.

Front. Work the front in the same manner as the back.

Sleeves. Cast on 48 sts (C). K 1, P 1 for 3". Change to stockinette st and increase one st in every 8th st across row. Work 3" even and then increase one st at the beginning and end of row every 6th row until 84 sts (D) are on needle. Work even until sleeve measures 18½" or desired length and cast off 5 sts at the beginning of the next 2 rows. Decrease 1 st at the beginning and end of every K row until 24 sts remain. Cast off.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	86 sts	92 sts	108 sts	120 sts
(B)	5½"	5½"	6½"	6½"
(C)	44 sts	48 sts	54 sts	54 sts
(D)	78 sts	84 sts	90 sts	90 sts

CAMPUS

PICTURED ON PAGE 11

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the front, work up to the neck. Make the sleeves starting at the wrist.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 96 sts (A). K 2, P 2 for 4". Change to Stockinette st and work to underarm (16" or desired length from bottom). Cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row 6 times. Work to shoulder (6½" or desired length from cast-off at underarm) and cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

Front. Cast on 96 sts (A). K 2, P 2 for 4". Change to Stockinette st and work for 3" or to beginning of zipper opening (if it is desired to use a shorter zipper, work correspondingly higher before starting this opening). Work to the center of the next row and place remaining sts on a stitch holder. Continue to work on this side of the front, increasing one st at underarm side every inch 4 times. Work to underarm and cast off 5 sts at the beginning of the next row at underarm side. Decrease one st on the same side every other row 6 times. Work even for 2" and on the next row at center edge decrease one st. Continue to decrease one st every other row for 2½". Work even to shoulder and cast off 5 sts at the beginning of every row on armhole side 3 times. Cast off the rest. Work the other side in the same manner.

Sleeves. Cast on 54 sts (B). K 2, P 2 for 4". Change to Stockinette st and increase one st at the beginning and end of every 7th row until 72 sts are on the needle. When sleeve measures 18½" (or desired length) cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 18 sts remain. Cast off.

Sew shoulder seams. Sew in sleeves. Sew underarm and side seams. Sc 2 rows around neck and opening at front. Sew in zipper.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	84 sts	92 sts	100 sts	108 sts
(B)	48 sts	48 sts	54 sts	54 sts

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

REVERSIBLE

PICTURED ON PAGE 11

PLAN—Starting at the bottom of the back, work up to the neck. Work the front in the same manner. Make the sleeves starting at the wrist. Weave all seams together so that they will look equally as well on either side they are worn. There is 4" zipper at back of neck so that the sweater can be worn either front or backwards.

GAUGE—5 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 96 sts (A). K 2, P 2 for 4". On the next row increase one st every 6th st, P 15 (B), and start pattern st *K 1 in back part of st, P 15* across row ending with K 1, P 15 (B). On the next row K 15 (B), *P 1 in back part of st, K 15* across row ending with P 1, K 15 (B). On the next row in the second panel at each side work pattern as follows: **Row 1.** P 7, K 1B (abbreviation for: "in Back part of st"), P 7. **Row 2.** K 7, P 1B, K 7. **Row 3.** P 6, K 1B, P 1, K 1B, P 6. **Row 4.** K 6, P 1B, K 1, P 1B, K 6. **Row 5.** P 5, K 1B, P 3, K 1B, P 5. **Row 6.** K 5, P 1B, K 3, P 1B, K 5. **Row 7.** P 4, K 1B, P 5, K 1B, P 4. **Row 8.** K 4, P 1B, K 5, P 1B, K 4. **Row 9.** P 3, K 1B, P 7, K 1B, P 3. **Row 10.** K 3, P 1B, K 7, P 1B, K 3. Repeat rows 9 & 10 for 3". Starting with Row 9, work back to Row 1. Work 1" and start another pattern in the same panels. When back measures 14" or desired length, cast off 6 sts at the beginning of the next 2 rows. Work across to center and place remaining sts on a st holder. Decrease one st at the beginning of every row at armhole edge for 6 times. Continue to finish pattern. Work 1" and start another pattern in 2nd and 3rd panels. When work measures 5" from cast-off at underarm at the beginning of next row at center edge cast off 10 sts to shape neckline. At beginning of next 4 rows at center edge decrease 1 st each row. When armhole measures 6½" from cast-off at underarm, cast off 5 sts at the beginning of every row at armhole edge 4 times. Cast off. Work the other side in the same manner.

Front. Cast on 96 sts (A). Work in the same manner as the back, without making an opening at neck. At the last pattern, work one pattern in each panel across front. To shape neckline cast off center 20 sts and shape as at back.

Sleeves. Cast on 44 sts (C). K 2, P 2 for 3". Change to K 15, P 1 and increase across row to 64 sts (about every 2nd st). Work 5" even. Increase one st at the beginning and end of row every inch until sleeve measures 18½" (or desired length). Cast off 6 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row until 18 sts remain. Cast off.

Sew shoulder seams. Sew in sleeves. Sew underarm and side seams. Sc 2 rows around neck and opening at back. Sew in zipper.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	92 sts	104 sts	110 sts
(B)	11 sts	13 sts	19 sts	22 sts
(C)	44 sts	44 sts	54 sts	54 sts

JIGGER COAT

PICTURED ON PAGE 12

PLAN—Starting at the neck work down, working the sleeves at the proper points.

GAUGE—4 sts = 1 inch 4 rows = 1 inch

INSTRUCTIONS—Using yarn double (thruout coat) cast on 104 sts (A). **Row 1.** K across. **Row 2.** K 2 tog, K 30 (B) (front), inc 1 st in each of the next 2 sts, K 6 (C) (sleeve), inc 1 st in each of the next 2 sts, K 20 (D) (back), inc 1 st in each of the next 2 sts, K 6 (C) (sleeve), inc 1 st in each of the next 2 sts, K 30 (B) (front), K 2 tog. **Row 3 and all odd rows.** K across. **Row 4.** K 2 tog, K 30, inc 1 st in each of the next 2 sts, K 8, inc 1 st in each of the next 2 sts, K 22, inc 1 st in each of the next 2 sts, K 8, inc 1 st in each of the next 2 sts, K 30, K 2 tog. Continue to increase at sleeve seams and decrease at each end in this manner 15 times. Work each end even and continue to increase at the same points for 3 more ribs. Place fronts and sleeve sts on st holders or odd needles and start pattern st at back as follows, increasing at the beginning and end of every 3rd row in pattern. **Row 1.** K 1 *slip yarn in front of needle as if to P, slip next st as if to P, K 1* repeat across row. **Row 2.** K 1, *knit YO and next st together, slip yarn in front of needle as if to P, slip next st as if to P,* repeat between stars to end of row. Repeat 2nd row of pattern for the remainder of coat. Continue to increase every 3rd row at each side for 2½". At the beginning of the next row at right hand side to make buttonhole, work 4 sts, cast off 3 sts, work to end of row. On next row cast on 3 sts over sts cast off. Work even for 16" or desired length (allowing a stretch of 1" for blocking). Cast off. Pick up sts for sleeve and work in the same manner as the back for 4" past increases. Decrease one st at the beginning and end of row every 2" for 6 times. Work to desired length and cast off (allowing 1" for blocking). Work the other sleeve in the same manner.

Fronts. Pick up sts for left front and work in the same manner as the back for 9" past increases. At the beginning of the next row at center edge, work 18 sts, cast on 2 sts and place remaining sts on a st holder. Work back to center edge. Next row work the 20 sts on needle and cast on 2 more sts. Continue to cast on in this manner to shape diagonal pocket until there have been 8 such increases. Place sts on a st holder. Pick up remaining sts from stitch holder and cast off 2 sts in the same manner 8 times for slanting pocket. On the next row join the sts and continue to work even for 7" or desired length. Work the other front in the same manner reversing the pocket slant.

Pockets. Using one strand of Germantown cast on 26 sts. Work in pattern st for 8". Cast off. Make

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

another one the same size.
Sew in pockets. Sew underarm and side seams. Sew pocket seams. Sew on button.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	74 sts	90 sts	124 sts	124 sts
(B)	20 sts	24 sts	34 sts	36 sts
(C)	4 sts	6 sts	10 sts	10 sts
(D)	14 sts	18 sts	24 sts	24 sts

TAILLEUR

PICTURED ON PAGE 12

PLAN—Starting at the bottom of the back, work up to the neck. Starting at the bottom of the front, work up to the neck. Start the sleeves at the cuff. Make the half belt for back and sew in place.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Back. Cast on 90 sts (A). Working in Stockinette st, K 1" even. Decrease one st at the beginning and end of every 2nd row 11 times. Work 1/2" even. Decrease every 9th st across row. Work 1" even. Increase every 9th st across row. K 4, P 2, K 15, P 2, K 22, P 2, K 15, P 2, K 4. Continue to work in this pattern and increase one st at the beginning and end of row every inch for 6". Work even to armhole (14" or desired length from bottom) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 5 times. Work 4" (B) from cast-off at underarm and change to Stockinette st across entire row. Work 2 1/2" and cast off 5 sts at beginning of every row 6 times. Cast off the rest.

Left Front. Cast on 46 sts. At the end of every K row increase one st for 6 times, working the other side (underarm) the same as the back. Increase one st at the beginning and end of every other row on center edge 8 times. On the next K row, K 25, K 2 tog and continue across row. Decrease in this manner every K row 8 times. Work 1" even and increase in the same manner. When work measures 10" from bottom increase one st at center edge (for lapel) every 4th row and work these increased stitches (entire lapel) in Moss st (K 1, P 1, K 1). Shape armhole at proper place in the same manner as the back. Cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

Right Front. Work this side in the same manner as the left side, being sure to reverse the increases and decreases, and adding 3 buttonholes. Start the first buttonhole 6" from the bottom of jacket, the second 2" above the first and the third 2" above the second. To make the buttonholes K 4, cast off 3 sts and continue across row. On the next row cast on 3 sts over sts cast off.

Sleeves. Cast on 55 sts. Work in Moss st for 1". Change to Stockinette st and work even for 1 1/2". Increase one st at the beginning and end of row every inch until sleeve measures 16 1/2". Work even until sleeve measures 18 1/2", or desired length. Cast off 5 sts at the beginning of the next 2 rows and then decrease one st at the beginning and end of every other row until 24 sts remain. Cast off. Sew shoulder seams, sew in sleeves. Sew underarm and side seams. Starting 2" from edge of lapel, pick up sts around neck to 2" from edge of other lapel. Work in Moss st for 1". Then increase one st at the beginning and end of every other row for 1". Cast off. Work 2 rows sc around jacket.

Belt. Cast on 11 sts. Work in Moss st until belt is desired length to reach across back between seams.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	84 sts	90 sts	102 sts	108 sts
(B)	4"	4"	5"	5 1/2"
(C)	36 sts	40 sts	52 sts	56 sts
(D)	49 sts	55 sts	61 sts	61 sts

ROLL NECK

PICTURED ON PAGE 13

PLAN—Starting at the neck work down to waist, working sleeves in at designated place. Pick up stitches and work turtle collar.

GAUGE—5 sts = 1 inch 8 rows = 1 inch

INSTRUCTIONS—Using Germantown, with 11" circular needle cast on 74 sts (A). Do not join. **Row 1.** P across. **Row 2.** Cast on 4 sts, K 4 (B), inc 1 st in each of the next 2 sts, K 11 (C) (sleeve), inc 1 st in each of the next 2 sts, K 36 (D) (back), inc 1 st in each of the next 2 sts, K 11 (E) (sleeve), inc 1 st in each of the next 2 sts, K 4 (F), cast on 4 sts. **Row 3 and all odd rows.** P across. **Row 4.** Cast on 4 sts, K 9, inc in the next 2 sts, K 13, inc in the next 2 sts, K 38, inc in the next 2 sts, K 13, inc in the next 2 sts, K 9, cast on 4 sts. Continue to increase at the 4 points in the above manner and to cast on 4 sts at the beginning and end of every K row 5 times. On the next K row join the 2 ends and continue to increase in the same manner every other row (K the odd rounds even) until sleeve measures 9" (G). (When work is crowded change to 29" circular needle). Place the sleeve sts on st holders and work body even for 2". Decrease one st at each underarm. Work 1 1/2" and decrease one st at each underarm. Work 8" or desired length and change to K 1, P 1 for 3 1/2" of ribbing. Cast off. Using size 5 knitting needles pick up sts from one of the st holders and work 5" even. Decrease one st at the beginning and end of row every inch for 10". Change to K 1, P 1 and work even for 3 1/2". Cast off. Work the other sleeve in the same manner. Sew sleeve seams.
Turtle collar. Using 11" circular needle pick up sts around neck and work K 1, P 1 for 4". Cast off.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	74 sts	74 sts	92 sts	105 sts
(B)	No change	No change	7 sts	10 sts
(C)	No change	No change	16 sts	16 sts
(D)	No change	No change	41 sts	46 sts
(E)	No change	No change	16 sts	16 sts
(F)	No change	No change	7 sts	7 sts
(G)	7 1/2"	8 1/2"	9 1/2"	10"

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

TWIN SWEATER SET

PICTURED ON PAGE 13

PLAN—Blouse. Starting at the bottom of the back, work up to the neck. Starting at the bottom of the front, work up to the neck. Make sleeves starting at the cuff. Make collar. **Cardigan.** Starting at the bottom of the back, work up to the neck. Starting at the bottoms of the fronts, work up to the neck. Make sleeves starting at the cuff.

GAUGE—6 sts = 1 inch 8 rows = 1 inch

BLOUSE

(Pattern st P 1, K 1 for 2 rows, then K 1, P 1 for 2 rows)

INSTRUCTIONS—Back. Cast on 96 sts (A) K 1, P 1 for 4". Change to pattern st and on the next row increase to 115 sts (B) (about every 5th st). Repeat pattern st for blouse. Work even to armhole (14" or desired length from bottom of blouse) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every other row 6 times. Work to shoulder (6½" (C) from cast-off at armhole) and cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

Front. Cast on 96 sts (A). Work in the same manner as the back until after the decreases at the armhole. On the next row divide the sts in half and place one half on an odd needle or st holder. Continue to work on the one shoulder for 5" (D) from cast-off at armhole. On the next row at center edge cast off 9 sts. At the beginning of the next 3 rows at center edge cast off 3 sts each row. Work to shoulder and cast off 5 sts at the beginning of every row on armhole side 3 times. Cast off the rest. Work the other shoulder in the same manner.

Sleeves. Cast on 54 sts (E) K 1, P 1 for 1½". Change to pattern st on the first row and increase to 63 sts (F) (about every 6th st). Increase one st at the beginning and end of every other row until 91 sts (G) are on needle. Cast off 5 sts at the beginning of the next 2 rows and then decrease one st at the beginning and end of every other row until 37 sts remain. Work 2 sts tog (in pattern) across next row. Work 4 more rows, decreasing one st at beginning and end of every other row. Cast off. Sew shoulder seams.

Collar. Pick up sts around neck and work in stockinette st for 2", increasing one st at the beginning and end of every row. Change to pattern st and work for 6 rows, continuing to increase at each side of row. Sc 2 rows around opening at front, placing buttonloops on right side. Make buttonloops on second row as follows: *sc 2, ch 4, skip 3* and repeat 3 more times. (4 buttonloops). Sc 1 row around collar. Sew on buttons opposite buttonloops.

CARDIGAN

Back. Cast on 110 sts (H). Work in stockinette st for 4", and on the next K row decrease 10 sts (every 11th st). Work 1½" and on the next row increase back to 110 sts. On the next row cast off center st. On the next row cast on 30 sts over the one st cast off (to form pleat). When back measures 7" increase one st at the beginning and end of row every inch 4 times. Work to armhole (2" longer than blouse) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of the next K row and cast off the center 30 sts cast on for pleat. On the next row cast on one st over 30 sts cast off. Continue to decrease one st at each side 5 more times. Work to shoulder [7" (I) from cast-off at armhole] and cast off 5 sts at the beginning of every row 6 times. Cast off the rest.

Left Front. Cast on 60 sts (J). K 46, work in pattern st to end of row. Continue this pattern and make decreases and increases the same as back at waist. Increase at underarm side every 4th row 10 times. Work to armhole and cast off and decrease sts on armhole side only, the same as back. Work 5" from cast-off at armhole and on center side cast off 12 sts. At the beginning of the next 3 rows on center side cast off 4 sts. Work to shoulder and cast off 5 sts at the beginning of every row on armhole side 3 times. Cast off remaining sts.

Right Front. Work the same as left front, reversing the border at front and the armhole. Make 8 buttonholes 2½" apart. To make buttonholes in border pattern work 4 sts, cast off 4 sts, work to end of row. On the next row cast on 4 sts over sts cast off.

Sleeves. Cast on 54 sts (K). Work even in stockinette st for 5½" and then increase across row to 64 sts (about every 5th st). Increase one st at the beginning and end of every 6th row until 92 sts (L) are on needle. Work until sleeve measures 18½" (or desired length) and cast off 5 sts at the beginning of the next 2 rows. Decrease one st at the beginning and end of every K row until 38 sts remain. K 2 tog and cast off at the same time.

Belt. Cast on 11 sts and work in pattern st for 13" (or desired length to fit across back at waist). Cast off. Sew shoulder seams. Sew in sleeves. Sew underarm and side seams. Sew on belt. Sc 2 rows around sleeves, neck and the bottom of the jacket.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 18	Size 20
(A)	88 sts	96 sts	104 sts	112 sts
(B)	107 sts	115 sts	123 sts	131 sts
(C)	6½"	6½"	7"	7"
(D)	5"	5"	5½"	5½"
(E)	54 sts	54 sts	60 sts	60 sts
(F)	63 sts	64 sts	70 sts	70 sts
(G)	87 sts	91 sts	97 sts	97 sts
(H)	100 sts	110 sts	120 sts	130 sts
(I)	7"	7"	7½"	7½"
(J)	54 sts	60 sts	65 sts	69 sts
(K)	48 sts	54 sts	60 sts	60 sts
(L)	88 sts	92 sts	100 sts	100 sts

The general instructions are written for size 16. For other sizes make adjustments shown in the Change of Size Charts.

SKIRT INSTRUCTIONS

Each of the 4 skirts is made with a 29" circular needle standard size #4, and one size #2 crochet hook. The amount of yarn required for each size is shown in the Materials Chart.
The measurements upon which each size is based are shown in the Change of Size Chart below. Each skirt is shown as being a 28" length. If another length is desired, add or subtract the desired number of inches to or from the bottom of the skirt where the directions call for 9" to be worked even.
If changes in the hip or waist measure are desired, this can be done by adding or subtracting stitches cast on at the bottom of the skirt and by altering the extent of the decreasing, which shapes the skirt, in order to obtain the measurements desired.

PLAN—Starting at the bottom of the skirt work up to the waist, shaping as per the instructions. Sew on WAISTRIM Lastex banding for skirt top, or crochet beading and insert ordinary elastic.

GAUGE—6 stitches = 1 inch. 8 rows = 1 inch.

PLAIN SKIRT—Cast on 300 stitches (A). Join, being careful not to twist, and work even for 7" (or more or less, depending upon length of skirt desired. See first paragraph at top of page).

SHAPING

On the next round decrease every 15th & 16th stitches. K 3" even.
On the next round decrease every 14th & 15th stitches. K 4" even.
On the next round decrease every 13th & 14th stitches. K 5" even.
On the next round decrease every 12th & 13th stitches. K 3" even.
On the next round decrease every 11th & 12th stitches. K 3" even.
On the next round decrease every 10th & 11th stitches. K 3" even.
Cast off. Sc 2 rows around bottom of skirt.

PLEAT SKIRT—Shaping instructions are same as for the Plain Skirt and for **each** pleat desired (usually 1 or 2 pleats in front and 1 in the back) cast on 50 stitches more than on the Plain Skirt spacing pleats as desired. Work even for 7". Cast off the extra 50 stitches for each pleat and continue shaping in the same manner as the Plain Skirt. When the skirt is finished, fold each pleat in place and sew across the top, sewing the pleat to the skirt.

SWING SKIRT—Shaping instruction are same as for Plain Skirt and the Swing effect is made by casting on 50 extra stitches for each gore. There are 4 gores, 1 at each side and 1 at the front and 1 at the back. Work the skirt even for 1". Decrease one stitch at each edge of each of the 4 gores every $\frac{1}{2}$" until the 50 stitches of each gore are decreased. This will give the swing effect. Continue to work in the same manner as the Plain Skirt, starting the decreases after 7". If the gore is more than 9", do not make these decreases in the gores.

RIB SKIRT—Cast on 322 stitches (B). K 8, P 6 for 7". Decrease one stitch in each P rib for 1 round. Work 3" even. Decrease one stitch in each P rib. Work 5" even. Decrease one stitch in each P rib. Work 5" even. Decrease one stitch in each P rib. Work 3" even. Decrease one stitch in each P rib. Work 2" even. Decrease one stitch in each P rib. Work 3" even. Cast off. Sc 2 rows around bottom of skirt.

CHANGE OF SIZE CHART FOR SKIRTS

	Size 12	Size 14	Size 16	Size 18	Size 20
	Waist 24"	Waist 25"	Waist 27"	Waist 29"	Waist 32"
	Hips 34"	Hips 35"	Hips 37"	Hips 39"	Hips 42"
	Skirt Length 28"	Skirt Length 28"	Skirt Length 28"	Skirt Length 28"	Skirt Length 28"
(A)	278 sts.	288 sts.	288 sts.	312 sts.	324 sts.
(B)	294 Sts.	308 Sts.	308 Sts.	336 sts.	348 sts.

• • •

WASHING AND BLOCKING WOOL GARMENTS

Don't mistreat your garments made of wool.

WASHING

1. Correct to use lukewarm water. (Too hot water tends to dissolve some very delicate dyes, and will matt the wool fibers and cause them to shrink.)
2. Correct to use a pure ***non-alkali*** soap, such as Lux, Ivory, etc. (An alkali soap such as ordinary laundry soap will make the wool fibers harsh, and sometimes dissolve delicate dyes.)
3. Merely squeeze the soap suds thru the garment (rubbing or wringing will matt the wool fibres and stretch the garment out of shape).
4. Rinse the garment in clear, lukewarm water.
5. Wrap in Turkish towel and squeeze dry.

BLOCKING (Steaming and Pressing to Shape)

6. Lay the garment wrong side up on a Turkish towel and pin to the correct size. Using a very damp cloth and a moderately hot iron, allow the steam to thoroughly penetrate the wool.

« Page 26 »

Crochet Hooks

AMERICAN STANDARD NEEDLE SIZES

Knitting Needles



MATERIALS CHART — Needles • Yarn • Trimming

NAME OF GARMENT	KNITTING NEEDLE SIZE	CROCHET Hook Size	KIND OF YARN	AMOUNT OF YARN FOR EACH SIZE (Approximate only, and stated on high side. Will vary for each knitter)					TRIMMING
				SIZE 12	SIZE 14	SIZE 16	SIZE 18	SIZE 20	
SQUARE RIGGER	Pair #4		Shetland Floss, or Sports Cassimere	9 ozs	10 ozs	10 ozs	12 ozs	12 ozs	
CABLE—LONG SLEEVES	Pair #4		Shetland Floss, or Sports Cassimere	9 ozs	11 ozs	11 ozs	12 ozs	12 ozs	3 buttons
CABLE—SHORT SLEEVES	Pair #4		Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	11 ozs	11 ozs	3 buttons
POCHE	Pair #4	#2	Shetland Floss, or Sports Cassimere	10 ozs	12 ozs	12 ozs	14 ozs	14 ozs	6 small ball buttons
DIAMONDS	Pair #4		Shetland Floss, or Sports Cassimere	9 ozs	10 ozs	10 ozs	12 ozs	12 ozs	2 large buttons
DRAWSTRING	Pair #4	#00	Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	
SHIP AHOY	Pair #4	#2	Shetland Floss, or Sports Cassimere	Color 8 ozs	Color 9 ozs	Color 9 ozs	Color 11 ozs	Color 11 ozs	12—½" button molds
				TRIM: ONE OZ FOR ALL SIZES					
COSSACK	Pair #4	#2	Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	6 buttons
SERVICE STRIPES	Pair #3 Pair #4	#2	Shetland Floss, or Sports Cassimere	Color 8 ozs	Color 10 ozs	Color 10 ozs	Color 12 ozs	Color 12 ozs	
				TRIM: 2 OZS EACH OF 2 COLORS FOR ALL SIZES					
ZIP	Pair #5		Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	14" zipper
FRONTISPIECE	Pair #4	#2	Shetland Floss, or Sports Cassimere	Color 8 ozs	Color 8 ozs	Color 10 ozs	Color 10 ozs	Color 12 ozs	2 large buttons
				TRIM: ONE OZ FOR ALL SIZES					
RAINBOW	Pair #10	#2	Shetland Floss, or Sports Cassimere	2 ozs each of 3 colors	2 ozs each of 3 colors	2 ozs each of 3 colors	3 ozs each of 3 colors	3 ozs each of 3 colors	Long zipper (18") to fit
SPORTS VEST	Pair #4	#2	Shetland Floss, or Sports Cassimere	4 ozs	4 ozs	4 ozs	6 ozs	6 ozs	One long zipper to fit
VAGABOND	Pair #4		Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	Short zipper
BOLERO	Pair #4	#00	Shetland Floss, or Sports Cassimere	Color 6 ozs	Color 7 ozs	Color 7 ozs	Color 8 ozs	Color 9 ozs	
				TRIM: ONE OZ EACH OF 3 COLORS FOR ALL SIZES					
BIB AND TUCKER	Pair #4	#2	Shetland Floss, or Sports Cassimere	Color 8 ozs	Color 10 ozs	Color 10 ozs	Color 12 ozs	Color 14 ozs	One zipper about 12". 6 small buttons
				TRIM: ONE OZ FOR ALL SIZES					
CREW	Pair #4		Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	
CAMPUS	Pair #4	#2	Shetland Floss, or Sports Cassimere	10 ozs	12 ozs	12 ozs	14 ozs	14 ozs	Zipper (15")
REVERSIBLE	Pair #4	#2	Shetland Floss, or Sports Cassimere	8 ozs	10 ozs	10 ozs	12 ozs	12 ozs	Short zipper
JIGGER COAT	Pair #10		Germantown, or Knitting Worsted	44 ozs	48 ozs	48 ozs	54 ozs	54 ozs	1 large button
TAILLEUR	Pair #4	#2	Shetland Floss, or Sports Cassimere	10 ozs	12 ozs	12 ozs	14 ozs	14 ozs	3 large buttons
ROLL NECK	11" Circular #5 29" Circular #5		Germantown, or Knitting Worsted	14 ozs	14 ozs	14 ozs	16 ozs	16 ozs	
TWIN SWEATER SET — BLOUSE	Pair #4	#2	Shetland Floss, or Sports Cassimere	7 ozs	8 ozs	8 ozs	9 ozs	9 ozs	4 small buttons
TWIN SWEATER SET — CARDIGAN	Pair #4	#2	Shetland Floss, or Sports Cassimere	9 ozs	10 ozs	10 ozs	11 ozs	11 ozs	8 large buttons
PLAIN SKIRT	29" Circular #4	#2	Shetland Floss, or Sports Cassimere	12 ozs	14 ozs	14 ozs	15 ozs	15 ozs	WAISTRIM or ordinary elastic
PLEAT SKIRT	29" Circular #4	#2	Shetland Floss, or Sports Cassimere	12 ozs	14 ozs	14 ozs	15 ozs	15 ozs	WAISTRIM or ordinary elastic
SWING SKIRT	29" Circular #4	#2	Shetland Floss, or Sports Cassimere	12 ozs	14 ozs	14 ozs	15 ozs	15 ozs	WAISTRIM or ordinary elastic
RIB SKIRT	29" Circular #4	#2	Shetland Floss, or Sports Cassimere	12 ozs	14 ozs	14 ozs	15 ozs	15 ozs	WAISTRIM or ordinary elastic

PLAN OF THIS INSTRUCTION BOOK

SIZES 12 - 14 - 16 - 18 - 20

Please Read!

The general instructions are for size 16, measurements for which are included below. In addition, the instructions can be converted into sizes 12, 14, 18 and 20 by changing the figures in the general instructions at the points indicated by the letters in parentheses, (A), (B), (C), etc., to agree with the figures in the Change of Size Chart, under the desired size column. For example, if you desire size 18, substitute in the general instructions at (A) the figure given for (A) in the Change of Size Chart under size 18. By following the Change of Size Chart you should secure the same measurements for each size as shown below, if your gauge is correct.

CHANGE OF SIZE CHART

	Size 12	Size 14	Size 16	Size 18	Size 20
Waist	24"	26"	27"	29"	32"
Bust	32"	33"	35"	37½"	39½"
(A) _____					
(B) _____					
etc.					

For size 12 substitute this figure at point (A) in the instructions.

(Note: Sleeve length and all other inch measurements are adjusted in the instructions to fit.)

For slight variations from the above measurements, it is only necessary to block and press the garment to the exact measurements you desire, as knitted wool will stretch or contract to make a nice fit. It is also correct to use the waist measure of one size and the bust measure of another size or any other combination of size measurements which you might desire by changing the instructions to agree. However, for special measurements which differ greatly from those given under any size above, it will be necessary to alter the number of stitches, or rows, or the increasing, or the decreasing to get the inch measurements you desire according to your knitting gauge.

KNITTING GAUGE SWATCH TEST

Knit a small swatch 2" x 2" with the yarn and needles to be used and carefully compare the stitches and rows with the gauge in the instructions. If your gauge is greatly different you can correct it by using larger or smaller needles or by adding or subtracting stitches and rows in the instructions to secure the correct measurements you desire.

SUBSTITUTING YARNS

Other yarns than specified can be used if your gauge for the substituted yarn agrees with the instruction gauge, or if you make the gauge adjustment as in paragraph above. As a general rule it is easier to substitute yarns of the same general character, diameter and yardage.

FINISHING DETAILS

End of yarn and knots—break yarn at nearest edge or seam so knot will be hidden.

Seams—sew together as regular cloth seams (place pieces flat, one on top of the other, and sew in straight line near the edge).

Blocking—finish all garments by correct blocking, see page 25. This is an opportunity to correct size defects, as garments can be adjusted a full size larger or smaller by correct blocking.

ONE-PIECE DRESSES

Most of the sweater styles in this book can be combined very easily with the skirts. Merely omit the ribbing at the waist. The sweater is then sewed permanently to the top of skirt to form a one-piece dress. Watch closely the inch measurements of the sweater so that exactly the correct number of rows will be omitted in order to make the seam at waistline lay smoothly, and come in the proper place.

ABBREVIATIONS

K = knit	ch = chain
P = purl	sc = single crochet
st = stitch	dc = double crochet
sts = stitches	h dc = half double crochet
sl st = slip stitch	tr c = treble crochet
tog = together	incr = increase
YO = Yarn Over	decr = decrease

"Even" means to make no increases or decreases in the row.
A * (star) is used to indicate directions which are to be repeated the additional number of times specified.

DYE LOTS

Be sure **to buy at one time enough yarn to complete the garment. Each dye tub of yarn differs slightly in shade, and cannot be matched exactly by new lots of the same color.**

Stitch Measuring Gauge (inches)



ADDITIONAL INSTRUCTION BOOKS BY JEANNETTE STYLES





Select from

Sweaters Galore . . . . SKIRTS FOUR!

To Create Your Original Ensembles

SKIRT INSTRUCTIONS PAGE 25